

List of Tables

Table 1. Summary of research on subaqueous sedimentary features on continental shelves.	7
Table 2. Side-scan sonar acquisition parameters used for IRB surveys.	44
Table 3. Areas of polygons representing movement of fine sediments between 1996 and 1998 along sand body boundaries in the MS area.	74
Table 4. Areas of polygons representing movement of fine sediments between 1996 and 1998 along sand ridge boundaries in IRB sub-areas A-C (Figure 7).	95
Table 5. Areas (in m ²) of polygons representing movement of fine sediments between 1996 and 1998 along boundaries between high and low backscatter features in IRB sub-areas D-G (Figure 7).	98
Table 6. Length of boundaries analyzed in side-scan images from November 9, 1998 (IRB98N1, Figure 34) and November 25, 1998 (IRB98N2, Figure 35).	113
Table 7. Mean grain size and sorting (standard deviation, σ) for MS box core sediment subsamples.	124
Table 8. Mean grain size and standard deviation for IRB July 1998 box core sediment subsamples.	128
Table 9. Mean grain size and standard deviation for IRB November 1998 box core sediment subsamples.	134
Table 10. MS96M sediment sample data (Figure 13).	142
Table 11. Correlation coefficients among mean grain size, sorting, percent carbonate, and percent fine fraction for MS96M sediment samples (Table 10).	143
Table 12. MS98JL sediment sample data (Figure 14).	148
Table 13. Correlation coefficients among mean grain size, sorting, percent carbonate, and percent fine fraction for MS98JL sediment samples (Table 12).	149
Table 14. IRB97N sediment sample data (Figure 24).	155
Table 15. Correlation coefficients among mean grain size, sorting, percent carbonate, and percent fine fraction for IRB97N sediment samples (Table 14).	158

Table 16. IRB98JL sediment sample data (Figure 26).	163
Table 17. Correlation coefficients among mean grain size, sorting, percent carbonate, and percent fine fraction for IRB98JL sediment samples (Table 16).	166
Table 18. IRB98N1 sediment sample data (Figure 34).	168
Table 19. Correlation coefficients among mean grain size, sorting, percent carbonate, and percent fine fraction for IRB98N1 sediment samples (Table 18).	175
Table 20. IRB98N2 sediment sample data (Figure 35).	177
Table 21. Correlation coefficients among mean grain size, sorting, percent carbonate, and percent fine fraction for IRB98N2 sediment samples (Table 20).	184
Table 22. Comparison of the mean and standard deviation of the distributions of mean grain size, sorting, percentage of carbonate and percentage of fine material for the MS98JL (Table 12) and IRB98JL (Table 16) sediment sample sets.	187
Table 23. Comparison of maximum, mean, and median values of the cross-shore (u) and along-shore (v) velocity components of the mean current data from the MS98S4 and IRB98S4A deployments.	212
Table 24. MS96M sediment size distribution data.	274
Table 25. MS98JL sediment size distribution data.	277
Table 26. IRB97N sediment size distribution data.	281
Table 27. IRB98JL sediment size distribution data.	285
Table 28. IRB98N1 sediment size distribution data.	289
Table 29. IRB98N2 sediment size distribution data.	293
Table 30. F-statistics for mean ϕ , sorting σ , % carbonate, and % fine material, MS96M vs. MS98JL sediment samples.	298
Table 31. Student-t statistics for mean ϕ , sorting σ , % carbonate, and % fine material, MS96M vs. MS98JL sediment samples.	298
Table 32. F-statistics for mean ϕ , sorting σ , % carbonate, and % fine material, IRB97N vs. IRB98JL sediment samples.	299
Table 33. Student-t statistics for mean ϕ , sorting σ , % carbonate, and % fine material, IRB97N vs. IRB98JL sediment samples.	299
Table 34. F-statistics for mean ϕ , sorting σ , % carbonate, and % fine material, IRB98N1 vs. IRB98N2 sediment samples.	300

Table 35. Student-t statistics for mean ϕ , sorting σ , % carbonate, and % fine material, IRB98N1 vs. IRB98N2 sediment samples.	300
Table 36. Mean gray scale values and standard deviations for the gray scale value distributions at selected sediment sample locations in the IRB and MS study areas.	302
Table 37. Correlation coefficients between mean gray scale, gray scale sorting, and all sediment property variables.	304